UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/576,523	04/20/2006	Peter Geskes	016906-0506	3618
²²⁴²⁸ FOLEY AND I	IINER			
SUITE 500	TNW	FLANIGAN, ALLEN J		
3000 K STREET NW WASHINGTON, DC 20007			ART UNIT	PAPER NUMBER
			3744	
			MAIL DATE	DELIVERY MODE
			11/16/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Occurrence	10/576,523	GESKES ET AL.				
Office Action Summary	Examiner	Art Unit				
	Allen J. Flanigan	3744				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence ad	dress			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 6(a). In no event, however, may a reply be timil apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	J. uely filed the mailing date of this α ○ (35 U.S.C. § 133).	•			
Status						
1) Responsive to communication(s) filed on						
	_ · · · · · · · · · · · · · · · · · · ·					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the mer						
closed in accordance with the practice under E	x <i>parte Quayl</i> e, 1935 C.D. 11, 45	3 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-17</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6) Claim(s) is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) <u>1-17</u> are subject to restriction and/or e	lection requirement.					
Application Papers						
9) The specification is objected to by the Examiner						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11)☐ The oath or declaration is objected to by the Exa	aminer. Note the attached Office	Action or form PT	O-152.			
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:	priority under 35 U.S.C. § 119(a)	-(d) or (f).				
1. ☐ Certified copies of the priority documents	s have been received.					
2. Certified copies of the priority documents		on No				
3. Copies of the certified copies of the prior	ity documents have been receive	ed in this National	Stage			
application from the International Bureau	application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da 5) Notice of Informal P					
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	6) Other:	ατοπι προιισατίστι				

Art Unit: 3744

Election/Restrictions

Page 2

Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

Group I, claim(s) 1-16, drawn to a heat exchanger.

Group II, claim(s) 17, drawn to a method of exchanging heat.

The inventions listed as Groups I and II do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The existence of an anticipatory reference demonstrating that one or more independent claims lack novelty establishes that the inventions do not relate to a single general inventive concept. As set forth in MPEP 1850:

The expression "special technical features" is defined in PCT Rule 13.2 as meaning those technical features that define a contribution which each of the inventions, considered as a whole, makes over the prior art . . . Whether or not any particular technical feature makes a "contribution" over the prior art, and therefore constitutes a "special technical feature," should be considered with respect to novelty and inventive step. For example, a document discovered in the international search shows that there is a presumption of lack of novelty or inventive step in a main claim, so that there may be no technical relationship left over the prior art among the claimed inventions involving one or more of the same or corresponding special technical features, leaving two or more dependent claims without a single general inventive concept.

In this case the PCT Search report lists at least 3 X references that demonstrate a lack of novelty for independent claims 1 and/or 17. Thus, these claims lack unity of invention.

This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because

they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

There are three main species of structures disclosed: separate structures (as recited in claims 2 and 3, and 6) structures integral with the tubes (as recited in claim 8), and structures integral with the housing (claims 4 and 5). The separate finned structures further exhibit two subspecies, lanced corrugated, and straight corrugated (Figs. 3 and 4, respectively, claims 11 and 16).

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. Further, if the separate species is elected, applicant must elect one of the two fin subspecies (lanced or corrugated). The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Art Unit: 3744

The claims are deemed to correspond to the species listed above in the following manner:

See comments above.

The following claim(s) are generic: Claims 1, 7, 9, 10, and 12-15.

The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons:

The existence of an anticipatory reference demonstrating that one or more generic claims lack novelty establishes that the species do not relate to a single general inventive concept. As set forth in MPEP 1850:

The expression "special technical features" is defined in PCT Rule 13.2 as meaning those technical features that define a contribution which each of the inventions, considered as a whole, makes over the prior art . . . Whether or not any particular technical feature makes a "contribution" over the prior art, and therefore constitutes a "special technical feature," should be considered with respect to novelty and inventive step. For example, a document discovered in the international search shows that there is a presumption of lack of novelty or inventive step in a main claim, so that there may be no technical relationship left over the prior art among the claimed inventions involving one or more of the same or corresponding special technical features, leaving two or more dependent claims without a single general inventive concept.

Thus, as noted above, the existence of anticipatory references establishing lack of novelty of one or more generic claims establishes a lack of unity of invention.

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

The examiner has required restriction between product and process claims. Where applicant elects claims directed to the product, and the product

Art Unit: 3744

claims are subsequently found allowable, withdrawn process claims that depend from or otherwise require all the limitations of the allowable product claim will be considered for rejoinder. <u>All</u> claims directed to a nonelected process invention must require all the limitations of an allowable product claim for that process invention to be rejoined.

In the event of rejoinder, the requirement for restriction between the product claims and the rejoined process claims will be withdrawn, and the rejoined process claims will be fully examined for patentability in accordance with 37 CFR 1.104. Thus, to be allowable, the rejoined claims must meet all criteria for patentability including the requirements of 35 U.S.C. 101, 102, 103 and 112. Until all claims to the elected product are found allowable, an otherwise proper restriction requirement between product claims and process claims may be maintained. Withdrawn process claims that are not commensurate in scope with an allowable product claim will not be rejoined. See MPEP § 821.04(b). Additionally, in order to retain the right to rejoinder in accordance with the above policy, applicant is advised that the process claims should be amended during prosecution to require the limitations of the product claims. Failure to do so may result in a loss of the right to rejoinder. Further, note that the prohibition against double patenting rejections of 35 U.S.C. 121 does not apply where the restriction requirement is withdrawn by the examiner before the patent issues. See MPEP § 804.01.

Application/Control Number: 10/576,523 Page 6

Art Unit: 3744

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Allen J. Flanigan whose telephone number is (571) 272-4910. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Allen J. Flanigan/ Primary Examiner, Art Unit 3744